

# Receiving Report

Date: 12/7/8

Batch No: 1130288

Supplier: AIRFASCO

Dart P/O: 25778

Packing Slip: Yes C No       
 Invoice: Yes      No       
 Receipt: Cash      Cr       
 New Supplier Yes      No     

Release Note Attached: Yes      No      N/A       
 Waybill Attached: Yes      No      N/A       
 Shipment Complete: Yes      No      N/A       
 QC18 Inspection      N/A       
 Work Order      N/A     

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO25178

Purchase Order Date 7/28/2014

PO Print Date 7/28/2014

Page Number 1 of 4

Order From :

AIRFASCO INDUSTRIES  
2655 HARRISON AVENUE S.W.  
CANTON, OH 44706-3047  
US

VU-AIR002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**

Contact Name

Vendor Phone

330 430 6190

Ship To Contact

Ship To Phone

Ship Via:

FedEx PI ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30


USD


Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	AN3-35A	Bolt	7/31/2014 Yes 7/31/2014	FN	100.00 Each	\$0.46	\$46.00
Line Total:							\$46.00
2	AN5C15	BOLT	7/31/2014 Yes 7/31/2014	FN	15.00 Each	\$6.00	\$90.00
Line Total:							\$90.00
3	AN5C32A	BOLT	7/31/2014 Yes 7/31/2014	FN	50.00 Each	\$20.00	\$1,000.00

Note:

7/28/2014

[illegible]



2655 Harrison Ave. SW  
Canton, Ohio 44706-3047  
Phone: 330-430-6190  
Fax: 330-430-6199

**PHYSICAL AND CHEMICAL CERTIFICATION**

DATE MFG.: 09/04/14  
AFC LOT NO.: 24614  
PART NO.: AN5C32A rev. 3  
Per NASM5C32A  
QTY MFG.: 60

PROCUREMENT SPECIFICATION: Produced per NASM 6812

**HEAT TREAT**

VENDOR: Harvard Metal  
CERTIFICATION NO.: 60496 (23164)

PROCUREMENT SPECIFICATION: Heat Treat per AMS-H-6875 A

**PLATING**

VENDOR: AFC  
CERTIFICATION NO.: 14-24614

PROCUREMENT SPECIFICATION: Passivate per AMS 2700, Method 2, QQ-P-35

**MATERIAL**

MILL: Carpenter  
COUNTRY OF MELT: USA  
HEAT: 535468

GRADE SPECIFICATION: Stainless Steel per MIL-S-18732, AMS 5628 E, Type 431 SS, .322"

431 SS MATERIAL CHEMISTRY											
ELEMENT-ID.	-C-	-MN-	-P-	-S-	-SI-	-NI-	-CR-	-MO-	-CU-	-AL-	Other
LADLE	.150	.480	.016	.002	.450	2.11	15.83	.040	.020	.000	

PHYSICAL PROPERTIES				
PHYSICAL	TENSILE	YIELD	SHEAR	HARDNESS
REQUIRED	6,500 lbs.	4,980 lbs.	5,750 lbs.	HRC 26-32
ACTUAL	8,324 lbs.	7,910 lbs.	6,843 lbs.	HRC 30-31

We hereby certify that the above data is correct and that the fasteners have been manufactured and inspected in accordance with Airfasco Industries quality requirements.

Airfasco Industries  
Quality Assurance Representative:   
T. West